

STN Code	Sampling Date	Sampling Time	Name of Monitoring Station	Type of Water Body	Name Of Water Body	Name of Monitoring Agency	Freq.of Monitoring Station	Weather	Depth
17	05:12:17	12:00	R.Periyar Near Aluva- Eloor	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
18	06:12:17	12.30pm	R.Periyar At Kalady	River	Periyar River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
20	06:12:17	11:25	Chaliyar At Koolimadu	River	Chaliyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
21	06:12:17	12:38	Chaliyar At Chungapilli	River	Chaliyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
42	05:12:17	9:10	Kallada At Perumthottam Kadavu	River	Kallada River	Kerala S.P.C.B.	Monthly	Clear	>100cm
43	12:12:17	10:35	Muvattupuzha At Vettikattumukku	River	Muvattupuzha River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1154	06:12:17	1:25pm	Chalakydy At Pulickal Kadavu	River	Chalakydy River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1155	06:12:17	12:00	Karamana At Moonnattumukku	River	Karamana River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1156	05:12:17	7:30	Pamba At Chengannur	River	Pamba River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1207	12:12:17	12:50	Kabani At Muthankara	River	Kabani River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1208	12:12:17	12:30	Bhavani At Elachivazhi	River	Bhavani River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1338	06:12:17	11.20am	Periyar At SDP Aluva	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1339	08:12:17	10:20	Meenachil At Kidangoor	River	Meenachil River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1340	01:12:17	9:15	Manimala At Kallooppara	River	Manimala River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1341	05:12:17	8:30	Pamba At Thakazhi	River	Pamba River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1342	12:12:17	9:20	Achencovil At Thumpamon	River	Achencovil River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1383	06:12:17	2:50	Oruvathilkotta	Lake	Oruvathilkotta Lake	Kerala S.P.C.B.	Monthly	Clear	50-100cm
1384	01:12:17	9:30	Manimala At Thondara	River	Manimala River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1385	14:12:17	09:40	Sasthamkotta	Lake	Sasthamkotta Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
1441	14:12:17	09:35	Ashtamudi At Kollam	Lake	Ashtamudi Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
1442	07:12:17	1:20	Vamanapuram	River	Vamanapuram River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1443	12:12:17	8:40	Achencovil At Chennithala	River	Achencovil River	Kerala S.P.C.B.	Monthly	Clear	50-100 cm
1563	01:12:17	9:20	Amaravila	River	Neyyar River	Kerala S.P.C.B.	Monthly	Clear	50-100 cm
1564	08:12:17	9:50	Ithikkara At Ayur	River	Ithikkara River	Kerala S.P.C.B.	Monthly	Clear	50-100 cm
1565	05:12:17	8:00	Pampa Down (Parumala)	River	Pamba River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1566	04:12:17	10:30: AM	Kadalundi At Thirurangadi	River	Kadalundi River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1567	07:12:17	1:45	Kuttiyadi at Kuttiyadi Estate	River	Kuttiyadi River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1568	07:12:17	12:30	Mahi At Valayam	River	Mahi River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1569	06:12:17	9:30	Kuppam At Thaliparamba	River	Kuppam River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm,
1570	08:12:17	11:10	Neeleswaram At Hosdurg	River	Neeleswaram River	Kerala S.P.C.B.	Monthly	Clear	>100cm

STN Code	Sampling Date	Sampling Time	Name of Monitoring Station	Type of Water Body	Name Of Water Body	Name of Monitoring Agency	Freq.of Monitoring Station	Weather	Depth
1571	08:12:17	11:50	Karingod At Kakkadavu	River	Karingod River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1572	13:12:17	1:00	Chandragiri At Padiyathadka	River	Chandragiri River	Kerala S.P.C.B.	Monthly	Clear	>100cm
1573	04.12.17	1.23pm	Chithrapuzha At Irumpanam	River	Chithrapuzha River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
1574	08:12:17	8:35	Paravur	Lake	Paravur Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
1575	14:12:17	10:45	Vembanadu Oil Tanker Jetty	Lake	Vembanadu Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
1576	22:12:17	11:00	Thekkady	Lake	Thekkady Dam	Kerala S.P.C.B.	Monthly	Clear	>100cm
1577	14:12:17	12:10	Kodungalloor	Lake	Kodungalloor Lake	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
1578	05:12:17	9:10	Kayamkulam	Lake	Kayamkulam Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
1579	04:12:17	9:10	Punnamada	Lake	Punnamada Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
1580	06:12:17	12:05	Pookote At Pookote	Lake	Pookote Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
2284	07:12:17	11:00	Neyyar At Aruvippuram	River	Neyyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2285	07:12:17	1:50	Mammom At Mammom Bridge	River	Mammom River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2286	01:12:17	10:40	Ayoor At Ayoor Bridge	River	Ayoor River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2287	08:12:17	9:15	Ithikkara At Ithikkara	River	Ithikkara River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2288	14:12:17	9:20	Pallickal At Nellimugal	River	Pallickal River	Kerala S.P.C.B.	Monthly	Clear	50-100cm
2289	05:12:17	9:01	Karuvannur AtKaruvannur Bridge	River	Karuvannur River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2290	05:12:17	9:45	Puzhakkal At Puzhakkal Bridge	River	Puzhakkal River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2291	05:12:17	10:15	Keecheri At Vadakkancherry	River	Keecheri River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2292	06:12:17	10:15	Thirur At Thalakatathur	River	Thirur River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2293	04:12:17	11:00	Kadalundi At Hajiyarppalli	River	Kadalundi River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2294	04:12:17	1:05	Kallai At Kallai Bridge	River	Kallai River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2295	11:12:17	12:00	Korapuzha At Kanayankode	River	Korapuzha River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2296	04:12:17	10:15	Thalassery At Pathippalam	River	Thalassery River	Kerala S.P.C.B.	Monthly	Clear	>100 cm
2297	04:12:17	10:10	Ancharakandy At Meruvamba	River	Ancharakandy River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2298	06:12:17	11:35	Kuppam At Rayoram	River	Kuppam River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
2299	05:12:17	9:30	Ramapuram At Ramapuram Bridge	River	Ramapuram River	Kerala S.P.C.B.	Monthly	Clear	>100 cm
2300	05:12:17	10:30	Peruvamba At Chandappura	River	Peruvamba River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2301	05:12:17	11:40	Kavvai At Kuttiyolpalam	River	Kavvai River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2302	08:12:17	10:30	Neeleswaram At Nambiarkal Dam	River	Neeleswaram River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2303	13:12:17	10:15	Pullur At Pullur Bridge	River	Pullur River	Kerala S.P.C.B.	Monthly	Clear	50-100
2304	04:12:17	11:45	Mogral At Mogral Bridge	River	Mogral River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2305	13:12:17	11:15	Shriya At Angadimogaru	River	Shriya River	Kerala S.P.C.B.	Monthly	Clear	50-100 cm

STN Code	Sampling Date	Sampling Time	Name of Monitoring Station	Type of Water Body	Name Of Water Body	Name of Monitoring Agency	Freq.of Monitoring Station	Weather	Depth
2306	04:12:17	12:25	Uppala At Uppala Bridge	River	Uppala River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
2307	04:12:17	12:45	Manjeswaram At Bajarakkara Bridge	River	Manjeswaram River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2312	04:12:17	10:10	Vembanad At Pathiramanal	Lake	Vembanad Lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
2318	07:12:17	9:00	RSVR Pazhassi	Lake	Pazhassi RSVR	Kerala S.P.C.B.	Monthly	clear	>100cm
2319	04:12:17	8:30	Ancharakandi At Ancharakandi	River	Ancharakandi River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2325	05:12:17	3:10	Pond At Sreepadmanabha swamy Temple	Pond	Pond	Kerala S.P.C.B.	Monthly	Clear	50-100cm
2326	04:12:17	03:20	Korayar At Kanjikode	River	Korayar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2328	04:12:17	4:15	RSVR At Malampuzha	RSVR	Malampuzha RSVR	Kerala S.P.C.B.	Monthly	Clear	>100cm
2329	15.12.17	12.15pm	Bhoothathankettu	RSVR	Bhoothathankettu RSVR	Kerala S.P.C.B.	Monthly	Clear	>100cm
2330	14.12.17	10.40am	Edamalayar	RSVR	Edamalayar RSVR	Kerala S.P.C.B.	Monthly	Clear	>100cm
2331	06:12:17	2:30	Bharathapuzha At Kuttipuram	River	Bharathapuzha River	Kerala S.P.C.B.	Monthly	Clear	>100 cm
2332	06:12:17	11:00	Bharathapuzha At Pattambi	River	Bharathapuzha River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2333	05:12:17	12:25	Periyar At Muppathadam	River	Periyar River	Kerala S.P.C.B.	Monthly	clear	>100cm
2334	05:12:17	11:34	Periyar At Pathalam(Vettukadavu)	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2335	05:12:17	11:20	Periyar At Kalamassery	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2336	15.12.17	12:55	Periyar At Purappillikkadavu	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
2337	04.12.17	1.00pm	Kadambrayar At Brahmapuram	River	Kadambrayar River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
2338	4.12.17	12.45pm	Kadambrayar At Manackakadavu	River	Kadambrayar River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
3458	12:12:17	11:20	karapuzha dam at wayanad	River	Karapuzha River	Kerala S.P.C.B.	Monthly	Clear	>100cm
3459	12:12:17	3:00	Maniyankode puzha at maniyankode bridge	River	Maniyankode River	Kerala S.P.C.B.	Monthly	Clear	>100cm
3460	04:12:17	04:45	Kalpathi puzha at Kalpathi,Palakkad	River	Kalpathi River	Kerala S.P.C.B.	Monthly	Clear	>100cm
3461	04:12:17	12:10	Kanoli Canal at Eranjikkal,Kazhikode	canal	Kanoli Canal	Kerala S.P.C.B.	Monthly	Clear	50-100cm
3462	04:12:17	11:46	Mananchira pond at Kozhikode	Pond	Mananchira Pond	Kerala S.P.C.B.	Monthly	clear	>100cm
3464	05:12:17	11:05	Chaliyar at Nilambur,Malappuram	River	Chaliyar River	Kerala S.P.C.B.	Monthly	Clear	>100cm
3465	07:12:17	9:55	Achenkoil at Kallarakadavu,Pathanamthitta	River	Achancovil River	Kerala S.P.C.B.	Monthly	Clear	>100cm
3466	12:12:17	9:15	Achenkoil at Pandalam,Pathanamthitta	River	Achancovil River	Kerala S.P.C.B.	Monthly	Clear	>100cm
3467	05:12:17	11:45	Unthithodu at Eloor,Ernakulam	canal	Unthithodu	Kerala S.P.C.B.	Monthly	Clear	50-100 cm
3468	06.12.17	11.35am	Periyar at KWA intake,Aluva,Ernakulam	River	Periyar River	Kerala S.P.C.B.	Monthly	Cloudy	>100cm
3469	14.12.17	8.50am	Palakkatuthazhamthodu at Perumbavoor	canal	Palakkatuthazhamthodu Canal	Kerala S.P.C.B.	Monthly	Clear	>100cm
3470	01:12:17	12:00	Vellayani lake at Vandithadom,Trivandrum	Lake	Vellayani lake	Kerala S.P.C.B.	Monthly	Clear	>100cm
3471	04:12:17	11:00	River Karamana at Aruvikara	River	River Karamana	Kerala S.P.C.B.	Monthly	Clear	>100cm
3473	07:12:17	10:25	River Valapattanam at Parassinikkadavu	River	River Valapattanam	Kerala S.P.C.B.	Monthly	clear	>100cm

STN Code	Odour	Water Temperature	Dissolved Oxygen	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenophelene Alkanity	Total Alkalinity	Chlorides	COD	Total Kjeldahl-N	Ammonia N
17	None	29	4.7	6.4	180	2.3	0.53	1100	1400	1.2	0	10	37.0	12.0	0.86	0.00
18	None	30	6.8	6.5	63	0.8	0.51	400	1200	0.5	0	23	6.0	6.0	0.42	0.00
20	None	22	5.5	7.2	77	2.4	0.50	280	340	0.0	0	18	8.0	12.0	0.30	0.24
21	None	28	6.2	7.4	2300	0.9	0.38	340	350	0.0	0	35	640.0	12.0	0.50	0.21
42	None	24	7.8	7.6	92	1.6	0.76	110	310	0.0	0	16	16.0	6.4	0.00	0.00
43	None	28	5.7	6.7	71	0.4	0.48	1600	3100	1.3	0	21	12.0	6.4	0.27	0.00
1154	None	29	7.6	6.4	70	1.0	0.70	150	1100	0.1	0	13	16.0	6.0	0.52	0.00
1155	Fishy	32	1.6	6.8	814	52.0	2.70	16000	41000	0.0	0	72	160.0	154.0	6.80	1.90
1156	None	28	5.4	6.4	52	0.2	0.38	320	470	2.7	0	10	10.0	6.4	0.25	0.00
1207	None	27.5	6.9	6.4	97	2.0	0.12	46	94	0.0	0	40	7.0	8.0	0.00	0.00
1208	None	27	8.6	8.3	140	2.3	0.36	21	63	5.0	0	37	24.0	4.0	0.12	0.00
1338	None	28.5	6.5	6.4	56	1.2	0.400	1200	4000	0.1	0	12	8.0	8.0	0.48	0.00
1339	None	27	7.0	6.5	42	0.2	0.42	1200	2100	1.1	0	11	10.0	6.4	0.20	0.00
1340	None	28	5.9	6.3	112	2.1	0.14	84	120	0.0	0	46	20.0	12.0	0.00	0.00
1341	None	28	4.6	6.2	66	0.3	0.50	580	840	6.8	0	11	12.0	6.4	0.30	0.00
1342	None	25	6.7	6.8	130	2.0	1.10	120	280	0.0	0	20	16.0	9.6	0.00	0.00
1383	None	32	4.0	6.7	733	14.0	0.00	1200	3100	0.0	0	75	192.0	60.0	0.00	0.00
1384	None	28	6.3	7.0	85	2.5	0.16	140	240	0.0	0	32	16.0	28.8	0.00	0.00
1385	None	24	6.4	6.8	120	1.2	0.68	140	380	0.0	0	22	24.0	7.6	0.00	0.00
1441	Fishy	22	6.7	7.4	19860	1.6	1.60	210	480	0.0	0	46	7340.0	32.0	0.00	0.00
1442	None	32	4.8	6.8	215	1.1	0.00	310	1700	0.0	0	44	40.0	4.0	0.00	0.00
1443	None	24	6.3	6.6	118	1.2	0.37	150	340	0.0	0	18	28.0	6.4	0.00	0.00
1563	None	30	6.2	6.5	107	1.0	0.00	150	630	0.0	0	18	20.0	4.0	3.00	0.00
1564	None	24	7.1	7.7	132	1.2	0.81	120	350	0.0	0	20	22.0	9.6	0.00	0.00
1565	None	28	1.9	6.1	73	0.5	0.49	410	630	6.6	0	12	10.0	9.6	0.35	0.00
1566	none	30	5.8	6.9	85	1.2	0.20	130	240	0.0	0	6	8.0	3.6	0.00	0.00
1567	None	28	7.3	7.0	23	0.6	0.03	120	170	0.0	0	4	4.8	8.0	0.00	0.00
1568	None	27	5.8	6.2	62	0.8	0.14	480	1400	0.0	0	20	9.0	12.0	0.31	0.19
1569	None	29	5.8	7.0	8000	1.3	1.02	40	49	1.8	0	25	2800.0	8.0	0.62	0.08
1570	None	27	6.6	6.7	5325	1.6	0.00	140	940	0.7	0	33	1800.0	4.0	0.60	0.00

STN Code	Odour	Water Temperature	Dissolved Oxygen	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenophelene Alkanity	Total Alkalinity	Chlorides	COD	Total Kjeldahl-N	Ammonia N
1571	None	26	7.9	5.4	52	1.2	0.0000	110	790	1.0	0	22	4.0	6.4	0.12	0.00
1572	None	25	8.0	6.4	51	0.2	0.00	120	940	2.2	0	26	5.0	30.0	0.33	0.00
1573	other	28	5.5	6.8	425	1.3	0.97	1700	4300	0.6	0	28	100.0	12.0	1.10	0.00
1574	None	23	6.8	7.5	23730	1.6	1.40	120	400	0.0	0	30	7630.0	36.0	0.00	0.00
1575	other	30	5.2	7.5	27800	1.5	0.33	2400	5400	1.4	0	35	9700.0	16.0	1.30	0.00
1576	None	27	6.7	6.7	34	0.1	0.05	10	21	0.9	0	10	8.0	3.2	0.11	0.00
1577	None	30	4.7	7.2	17580	3.7	0.42	1700	2400	2.2	0	36	6100.0	12.0	1.20	0.00
1578	None	28	4.4	7.3	6300	3.0	0.10	400	630	0.0	0	30	1520.0	32.0	0.00	0.00
1579	None	26	7.8	7.1	173	2.6	0.13	170	280	0.0	0	34	40.0	32.0	0.00	0.00
1580	None	27.1	5.8	6.4	33	0.5	0.13	8	58	0.0	0	9	5.0	2.0	0.00	0.00
2284	None	30	6.8	6.6	121	0.7	0.00	270	400	0.0	0	32	18.0	4.0	0.00	0.00
2285	None	32	7.2	6.7	114	1.3	0.00	540	1600	0.0	0	24	19.0	4.0	0.00	0.00
2286	None	30	6.9	6.8	128	0.7	0.00	170	1300	0.0	0	30	20.0	4.0	0.00	0.00
2287	None	21	6.8	7.1	13110	1.2	1.20	120	430	0.0	0	30	3800.0	20.0	0.00	0.00
2288	None	25	6.1	7.1	124	2.0	0.83	110	320	0.0	0	20	24.0	9.6	0.00	0.00
2289	None	29	6.2	7.0	65	0.4	0.15	31	240	0.4	0	17	8.0	3.2	0.00	0.00
2290	None	30	7.1	6.9	155	1.5	0.36	220	700	0.8	0	22	31.0	6.2	0.63	0.09
2291	None	30	7.8	7.3	111	1.2	0.25	150	540	0.2	0	24	16.0	6.9	0.63	0.07
2292	None	30	3.1	6.4	168	1.6	0.20	120	240	0.0	0	19	38.0	4.8	0.00	0.00
2293	None	29	5.1	7.3	90	1.2	0.20	130	240	0.0	0	17	11.0	3.6	0.00	0.00
2294	None	22	2.9	7.7	50980	2.6	0.36	3500	5400	0.0	0	110	15000.0	16.0	0.50	0.00
2295	None	24	5.5	7.4	18100	0.6	0.22	250	350	0.0	0	52	5460.0	12.0	0.72	0.20
2296	None	26	6.8	7.1	64	1.9	0.55	310	380	2.5	0	9	11.0	8.0	0.16	0.00
2297	None	26	7.1	7.2	54	1.0	0.14	260	350	0.4	0	12	8.0	4.0	0.20	0.00
2298	None	25	8.3	6.7	46	0.1	0.11	170	600	0.9	0	10	6.0	4.0	0.00	0.00
2299	None	28	4.1	7.0	1820	1.3	0.16	79	140	0.1	0	24	440.0	6.4	0.50	0.23
2300	None	28	8.1	6.8	41	2.8	0.51	400	630	0.3	0	7	6.0	8.0	0.43	0.03
2301	None	27	3.6	6.3	53	1.7	0.46	100	120	1.0	0	7	10.0	8.0	0.30	0.01
2302	None	26	7.1	7.8	90	1.1	0.00	350	1200	0.8	0	17	19.0	4.0	0.57	0.00
2303	None	24	8.0	6.1	43	0.7	0.00	130	920	5.3	0	15	6.0	3.2	0.30	0.00
2304	None	29	4.9	7.1	42500	1.9	0.060	170	920	2.7	0	108	17600.0	6.4	0.62	0.00
2305	None	24	7.9	6.1	61	1.4	0.00	170	1010	1.1	0	25	6.0	4.0	0.20	0.00

STN Code	Odour	Water Temperature	Dissolved Oxygen	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenophelene Alkanity	Total Alkalinity	Chlorides	COD	Total Kjeldahl-N	Ammonia N
2306	None	29	6.8	7.7	4200	2.0	0.020	280	1100	3.3	0	44	1600.0	6.4	0.50	0.00
2307	None	28	7.9	8.2	92	2.8	0.02	210	840	5.4	0	26	13.0	8.0	0.42	0.00
2312	None	26	7.5	7.3	186	1.1	0.12	200	320	0.0	0	24	40.0	16.0	0.00	0.00
2318	None	26	7.9	6.8	61	1.1	0.16	580	550	5.2	0	15	8.0	6.4	0.00	0.00
2319	None	27	7.2	7.0	72	1.4	0.27	630	700	0.6	0	12	13.0	6.4	0.02	0.00
2325	None	32	6.5	6.6	210	1.9	0.00	250	400	0.0	0	42	35.0	16.0	0.00	0.00
2326	None	29	0.5	7.6	955	0.4	0.37	100	200	10.0	0	260	116.0	8.0	0.19	0.00
2328	None	28.5	8.4	7.0	118	2.0	0.28	84	140	8.0	0	40	16.0	4.0	0.11	0.00
2329	None	27.5	7.7	6.8	40	0.7	0.51	940	5400	0.6	0	9	6.0	4.0	0.46	0.00
2330	None	27.3	7.6	6.5	25	1.0	0.06	49	700	0.4	0	8	2.0	4.0	0.34	0.00
2331	None	27.5	8.4	7.2	179	2.0	0.26	94	200	7.0	0	48	30.0	6.0	0.21	0.00
2332	None	29	8.0	7.2	224	3.0	0.34	240	430	8.0	0	58	36.0	4.0	0.18	0.00
2333	None	29	6.5	6.4	64	1.9	0.39	940	2200	0.8	0	12	11.0	6.0	1.00	0.00
2334	None	28	5.7	6.4	129	2.9	0.60	1200	2100	7.4	0	11	25.0	16.0	1.43	0.00
2335	None	28	5.7	6.5	75	3.7	0.37	1100	2100	1.6	0	11	6.0	12.0	1.12	0.00
2336	None	30	5.1	6.9	8400	0.5	0.54	100	1100	0.5	0	23	3200.0	8.0	0.42	0.00
2337	Other	28	0.0	6.61	189.0	4.4	0.93	1100	2400	1.3	0	28	26.0	12.0	1.06	0.00
2338	None	28	0.0	6.4	132	5.2	0.42	400	940	1.5	0	26	18.0	10.0	1.23	0.002
3458	None	27.3	6.9	6.5	141	0.7	0.13	41	42	0.0	0	60	12.0	2.8	0.00	0.00
3459	None	26.8	6.2	6.7	150	2.0	0.13	46	196	0.0	0	64	10.0	8.0	0.00	0.00
3460	None	28	4.6	7.8	215	2.5	0.23	70	120	7.0	0	51	35.0	8.0	0.21	0.00
3461	None	28	7.3	8.0	37980	4.4	0.53	250	270	0.0	0	96	10840.0	16.0	0.40	0.00
3462	None	21	8.1	8.1	89	0.7	0.16	410	480	0.0	0	24	12.0	8.0	0.00	0.00
3464	None	24	7.0	6.9	72	1.1	0.34	580	600	0.0	0	24	7.0	12.0	0.59	0.21
3465	None	24	6.5	7.8	102	1.2	0.67	120	220	0.0	0	20	16.0	6.4	0.00	0.00
3466	None	25	6.5	6.9	104	1.2	0.30	220	630	0.0	0	18	20.0	6.4	0.00	0.00
3467	Other	29	0.0	6.3	260	0.8	0.69	2800	3500	2.3	0	17	52.0	20.0	2.06	0.00
3468	None	28	6.7	6.6	45	1.8	0.40	100	1200	0.2	0	8	6.0	6.0	0.40	0.36
3469	None	28.1	3.5	6.4	102	3.7	0.22	200	5400	3.8	0	19	12.0	8.0	1.23	0.00
3470	None	32	6.8	6.7	217	1.8	0.00	460	940	0.0	0	40	42.0	4.0	0.00	0.00
3471	None	29	8.0	6.6	99	0.9	0.00	48	110	0.0	0	21	18.0	4.0	0.00	0.00
3473	None	28	5.3	7.0	19900	0.9	0.37	100	140	0.3	0	35	5200.0	4.0	0.63	0.12

STN Code	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride
17	16	14	6.9	19.4	100	89	12	0.010	0.19	1.66	0.07
18	6	1	0.3	3.3	36	28	10	0.010	0.00	1.29	0.030
20	16	9	6.0	5.3	44	37	12	0.000	0.00	0.43	0.15
21	52	158	95.0	372.0	1400	1190	10	0.000	0.15	14.50	0.32
42	12	18	0.0	7.8	55	40	12	0.000	0.00	2.80	0.00
43	12	6	0.9	6.0	49.0	42	14	0.000	0.00	1.63	0.00
1154	23	4	0.9	2.9	50	41	10	0.040	0.00	1.18	0.020
1155	145	85	50.0	60.0	456	355	28	0.400	0.00	2.00	0.00
1156	10	6	0.0	2.1	29	25	29	0.000	0.00	0.48	0.20
1207	15	10	0.0	5.0	56	45	10	0.000	0.00	5.00	0.50
1208	30	24	0.6	9.0	77	62	10	0.0	0.00	1.93	0.22
1338	2	1	0.1	3.1	32	29	10	0.020	0.00	1.11	0.02
1339	8	4	0.8	3.0	26	22	9	0.000	0.00	1.14	0.00
1340	28	24	0.0	10.5	80	60	12	0.000	0.00	0.70	0.00
1341	12	8	0.0	3.1	51	47	43	0.000	0.00	0.31	0.30
1342	12	20	0.0	8.0	60	49	10	0.000	0.00	3.80	0.00
1383	170	142	5.0	40.0	423	355	23	0.000	0.00	1.90	0.00
1384	12	24	0.0	9.0	60	40	10	0.000	0.00	0.70	0.00
1385	20	12	0.0	13.0	72	50	20	0.000	0.00	2.80	0.00
1441	1100	800	10.0	3650.0	14120	12100	40	0.000	0.00	140.00	0.00
1442	55	40	0.0	5.0	122	95	45	0.000	0.00	1.00	0.00
1443	24	12	0.0	12.0	78	56	20	0.000	0.00	2.70	0.00
1563	17	12	0.0	11.0	61	42	27	0.000	0.00	1.50	0.00
1564	20	14	0.0	10.8	71	60	20	0.000	0.00	3.40	0.00
1565	10	8	0.0	3.4	46	42	39	0.000	0.00	0.52	0.25
1566	10	10	23.0	6.0	59	44	10	0.060	0.00	2.40	0.00
1567	6	1	0.0	1.8	13	11	10	0.000	0.00	0.00	0.23
1568	5	10	0.0	5.6	35	30	12	12.000	0.00	0.32	0.10
1569	1350	150	226.8	1300.0	5600	5100	20	0.000	0.52	0.33	0.61
1570	170	440	43.3	854.0	3230	3000	10	0.000	0.26	48.00	0.00

STN Code	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride
1571	12	4	0.0	2.3	30	26	10	0.000	0.00	0.36	0.00
1572	11	9	0.0	2.6	32	30	10	0.000	0.05	0.57	0.00
1573	34	32	8.0	50.0	240	200	14	2.090	0.02	0.05	0.22
1574	800	400	100.0	4000.0	13680	12300	20	0.000	0.00	180.00	0.00
1575	4080	420	452.1	4000.0	17000	16500	20	0.180	0.21	162.00	0.16
1576	7	4	0.9	1.9	24	23	10	0.000	0.00	0.93	0.00
1577	2240	340	397.3	4479.0	11900	10500	19	0.010	0.22	167.00	0.210
1578	110	430	417.5	846.0	3500	2800	20	0.000	0.00	2.60	0.00
1579	8	28	0.0	23.4	110	100	34	0.000	0.00	2.40	0.00
1580	6	1	0.0	4.0	20	18	10	0.000	0.00	1.00	0.00
2284	32	18	0.0	5.0	71	56	22	0.000	0.00	1.60	0.00
2285	28	14	0.0	5.0	64	50	39	0.000	0.00	1.10	0.00
2286	30	18	0.0	6.0	72	60	31	0.000	0.00	1.60	0.00
2287	400	200	10.0	2000.0	7300	6120	30	0.000	0.00	110.00	0.00
2288	26	16	0.0	12.0	74	68	22	3.000	0.00	3.30	0.00
2289	11	6	1.9	9.9	38	30	10	0.020	0.00	0.90	0.02
2290	18	14	9.2	13.80	93	75	9	0.040	0.00	4.20	0.025
2291	14	12	6.5	12.0	67	38	12	0.020	0.00	4.30	0.022
2292	22	8	8.0	21.0	95	82	10	0.060	0.00	4.40	0.00
2293	16	13.0	14.0	7.0	63	55	10	0.200	0.00	2.40	0.00
2294	780	3270	1850.0	8700.0	31000	26350	12	0.080	0.30	235.00	1.85
2295	330	770	400.0	3200.0	10800	9180	10	0.000	0.09	150.00	1.29
2296	11	4	0.0	5.4	36	30	20	0.000	0.00	1.03	0.12
2297	7	9	0.0	4.0	30	28	10	0.000	0.00	0.73	0.10
2298	9	9	0.0	3.1	26	24	10	0.000	0.00	0.39	0.05
2299	270	30	51.3	220.0	1025	1000	10	0.000	0.06	10.40	0.12
2300	5	5	0.0	3.4	23	18	10	0.000	0.00	0.39	0.43
2301	4	7	0.0	1.0	30	25	20	0.000	0.00	0.88	0.00
2302	8	12	0.0	9.6	55	45	20	0.000	0.00	0.93	0.00
2303	10	7	0.0	3.0	28	26	24	0.000	0.00	0.33	0.00
2304	1000	4600	389.0	9000.0	25460	22400	48	0.000	2.40	330.00	0.00
2305	13	10	0.0	3.3	39	33	10	0.000	0.00	0.77	0.00

STN Code	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride
2306	130	680	76.3	814.0	3000	2840	33	0.000	0.18	43.00	0.00
2307	14	8	0.0	6.4	52	48	20	0.000	0.00	0.78	0.00
2312	16	8	0.0	24.0	106	96	36	0.000	0.00	2.20	0.00
2318	9	9	0.0	4.0	34	30	40	0.000	0.01	0.75	0.07
2319	8	8	0.0	6.8	41	35	10	0.000	0.00	1.13	0.00
2325	45	15	0.0	14.0	117	82	40	0.000	0.00	1.70	0.00
2326	150	122	1.0	70.0	531	474	20	0.153	0.00	7.50	0.19
2328	22	13	0.8	6.0	65	55	10	0.006	0.00	1.80	0.16
2329	11	2	0.4	2.9	27	25	10	0.010	0.00	1.03	0.01
2330	1	6	0.0	1.6	14	12	10	0.040	0.00	0.52	0.02
2331	45	20	0.7	12.0	99	86	13	0.039	0.00	2.81	0.16
2332	42	34	2.4	15.9	124	108	15	0.018	0.00	3.6	0.18
2333	5	2	0.0	5.0	36	32	10	0.050	0.00	1.10	0.029
2334	27	4	0.7	6.7	72	68	10	0.050	0.000	1.26	0.04
2335	8	3	0.1	3.3	27	25	10	0.030	0.00	1.11	0.05
2336	160	900	206.6	1140.0	5700	4900	11	0.020	0.01	40.00	0.024
2337	26	8	7.7	18.1	105	92	12	0.130	0.00	3.20	0.04
2338	16	8	4.2	10.35	74	61	12	0.020	0.00	3.67	0.04
3458	25	25	0.0	8.0	85	76	8	0.000	0.00	6.00	0.10
3459	25	19	0.0	10.0	90	80	20	0.000	0.00	8.00	0.60
3460	58	6	0.7	13.4	119	105	20	0.016	0.00	3.30	0.160
3461	660	2230	1690.0	6430.0	23500	19975	16	0.000	0.29	210.00	1.63
3462	20	8	2.0	7.1	50	43	10	0.000	0.10	0.09	0.10
3464	15	10	0.0	4.7	40	34	10	0.000	0.00	0.51	0.26
3465	22	16	0.0	7.0	58	36	12	0.000	0.00	2.40	0.00
3466	22	12	0.0	8.5	59	40	15	0.000	0.00	2.80	0.00
3467	16	14	10.7	28.0	145	132	15	0.010	0.03	4.00	0.31
3468	8	4	0.0	3.0	22	19	10	0.010	0.00	1.00	0.02
3469	21	3	2.7	7.5	57	49	13	0.090	0.00	4.38	0.032
3470	46	32	0.0	10.0	122	95	38	0.000	0.00	1.70	0.00
3471	20	18	0.0	7.0	57	29	13	0.000	0.00	1.00	0.00
3473	2400	400	202.9	2550.5	17800	16200	10	0.000	0.54	99.90	0.370