

STNCode	Sampling Date	Sampling Time	StnName	TypeWaterBody	NameOfWaterBody	MonAgency	FrequencyOfMonitoring	Weather
Integer	Date	Time	Text	Text	Text	Text	Integer	Text
17	05:06:17	11:55	R.Periyar Near Aluva- Eloor	River	Periyar River	Kerala S.P.C.B.	Monthly	Rainy
18	12:06:17	12:00	R.Periyar At Kalady	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
20	02:06:17	10:40	Chaliyar At Koolimadu	River	Chaliyar River	Kerala S.P.C.B.	Monthly	Clear
21	02:06:17	11:55	Chaliyar At Chungapilli	River	Chaliyar River	Kerala S.P.C.B.	Monthly	Rainy
42	07.06.17	9:10	Kallada At Perumthottam Kadavu	River	Kallada River	Kerala S.P.C.B.	Monthly	Clear
43	06:06:17	10:35	Muvattupuzha At Vettikattumukku	River	Muvattupuzha River	Kerala S.P.C.B.	Monthly	Clear
1154	12:06:17	1:20	Chalakudy At Pulickal Kadavu	River	Chalakudy River	Kerala S.P.C.B.	Monthly	Clear
1155	06:06:17	8:30	Karamana At Moonnattumukku	River	Karamana River	Kerala S.P.C.B.	Monthly	Clear
1156	02:06:17	7:25	Pamba At Chengannur	River	Pamba River	Kerala S.P.C.B.	Monthly	Clear
1207	08:06:17	1:00	Kabani At Muthankara	River	Kabani River	Kerala S.P.C.B.	Monthly	Rainy
1208	12:06:17	12:00	Bhavani At Elachivazhi	River	Bhavani River	Kerala S.P.C.B.	Monthly	Rainy
1338	06:06:17	1:05	Periyar At SDP Aluva	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
1339	05:06:17	10:25	Meenachil At Kidangoor	River	Meenachil River	Kerala S.P.C.B.	Monthly	Clear
1340	03:06:17	9:15	Manimala At Kallooppa	River	Manimala River	Kerala S.P.C.B.	Monthly	Rainy
1341	02:06:17	8:40	Pamba At Thakazhi	River	Pamba River	Kerala S.P.C.B.	Monthly	Clear
1342	05:06:17	9:20	Achencovil At Thumpamon	River	Achencovil River	Kerala S.P.C.B.	Monthly	Clear
1383	04.06.17	7:35	Oruvathilkotta	Lake	Oruvathilkotta Lake	Kerala S.P.C.B.	Monthly	Clear
1384	03:06:17	9:15	Manimala At Thondara	River	Manimala River	Kerala S.P.C.B.	Monthly	Rainy
1385	12:06:17	08:40	Sasthamkotta	Lake	Sasthamkotta Lake	Kerala S.P.C.B.	Monthly	Clear
1441	02:06:17	08:35	Ashtamudi At Kollam	Lake	Ashtamudi Lake	Kerala S.P.C.B.	Monthly	Clear
1442	04:06:17	8:40	Vamanapuram	River	Vamanapuram River	Kerala S.P.C.B.	Monthly	Clear
1443	05:06:17	8:40	Achencovil At Chennithala	River	Achencovil River	Kerala S.P.C.B.	Monthly	Clear
1563	02:06:17	7:30	Amaravila	River	Neyyar River	Kerala S.P.C.B.	Monthly	Clear
1564	02:06:17	9:50	Ithikkara At Ayur	River	Ithikkara River	Kerala S.P.C.B.	Monthly	Clear
1565	02:06:17	8:00	Pampa Down (Parumala)	River	Pamba River	Kerala S.P.C.B.	Monthly	Clear
1566	02:06:17	9:45	Kadalundi At Thirurangadi	River	Kadalundi River	Kerala S.P.C.B.	Monthly	Clear
1567	05:06:17	11:15	Kuttiyadi at Kuttiyadi Estate	River	Kuttiyadi River	Kerala S.P.C.B.	Monthly	Rainy

STNCode	Sampling Date	Sampling Time	StnName	TypeWaterBody	NameOfWaterBody	MonAgency	FrequencyOfMonitoring	Weather
Integer	Date	Time	Text	Text	Text	Text	Integer	Text
1568	05:06:17	10:30	Mahi At Valayam	River	Mahi River	Kerala S.P.C.B.	Monthly	Rainy
1569	07.06.17	9:30	Kuppam At Thaliparamba	River	Kuppam River	Kerala S.P.C.B.	Monthly	Rainy
1570	01:06:17	11:20	Neeleswaram At Hosdurg	River	Neeleswaram River	Kerala S.P.C.B.	Monthly	Clear
1571	01:06:17	12:45	Karingod At Kakkadavu	River	Karingod River	Kerala S.P.C.B.	Monthly	Clear
1572	14:06:17	11:10	Chandragiri At Padiyathadka	River	Chandragiri River	Kerala S.P.C.B.	Monthly	Clear
1573	09:06:17	11:35	Chithrapuzha At Irumpanam	River	Chithrapuzha River	Kerala S.P.C.B.	Monthly	Clear
1574	02:06:17	8:35	Paravur	Lake	Paravur Lake	Kerala S.P.C.B.	Monthly	Clear
1575	07:06:17	3:45	Vembanadu Oil Tanker Jetty	Lake	Vembanadu Lake	Kerala S.P.C.B.	Monthly	Cloudy
1576	30:06:17	11:30	Thekkady	Lake	Thekkady Dam	Kerala S.P.C.B.	Monthly	Clear
1577	06:06:17	11:30	Kodungalloor	Lake	Kodungalloor Lake	Kerala S.P.C.B.	Monthly	Clear
1578	01:06:17	9:15	Kayamkulam	Lake	Kayamkulam Lake	Kerala S.P.C.B.	Monthly	Rainy
1579	14:06:17	9:15	Punnamada	Lake	Punnamada Lake	Kerala S.P.C.B.	Monthly	Rainy
1580	12:06:17	10:30	Pookote At Pookote	Lake	Pookote Lake	Kerala S.P.C.B.	Monthly	Rainy
2284	02:06:17	8:00	Neyyar At Aruvippuram	River	Neyyar River	Kerala S.P.C.B.	Monthly	Clear
2285	04:06:17	8:00	Mammom At Mammom Bridge	River	Mammom River	Kerala S.P.C.B.	Monthly	Clear
2286	04:06:17	9:50	Ayoor At Ayoor Bridge	River	Ayoor River	Kerala S.P.C.B.	Monthly	Clear
2287	02:06:17	8:15	Ithikkara At Ithikkara	River	Ithikkara River	Kerala S.P.C.B.	Monthly	Clear
2288	12:06:17	9:20	Pallickal At Nellimugal	River	Pallickal River	Kerala S.P.C.B.	Monthly	Clear
2289	01:06:17	12:30	Karuvannur AtKaruvannur Bridge	River	Karuvannur River	Kerala S.P.C.B.	Monthly	Rainy
2290	01:06:17	11:45	Puzhakkal At Puzhakkal Bridge	River	Puzhakkal River	Kerala S.P.C.B.	Monthly	Rainy
2291	01:06:17	11:15	Keecheri At Vadakkancherry	River	Keecheri River	Kerala S.P.C.B.	Monthly	Clear
2292	05:06:17	10:30	Thirur At Thalakadathur	River	Thirur River	Kerala S.P.C.B.	Monthly	Clear
2293	02:06:17	11:30	Kadalundi At Hajiyarppalli	River	Kadalundi River	Kerala S.P.C.B.	Monthly	Clear
2294	07:06:17	9:40	Kallai At Kallai Bridge	River	Kallai River	Kerala S.P.C.B.	Monthly	Rainy
2295	01:06:17	10:45	Korapuzha At Kanayankode	River	Korapuzha River	Kerala S.P.C.B.	Monthly	Rainy
2296	02:06:17	11:00	Thalassery At Pathippalam	River	Thalassery River	Kerala S.P.C.B.	Monthly	Raing
2297	02:06:17	9:50	Ancharakandy At Meruvamba	River	Ancharakandy River	Kerala S.P.C.B.	Monthly	Raing

STNCode	Sampling Date	Sampling Time	StnName	TypeWaterBody	NameOfWaterBody	MonAgency	FrequencyOfMonitoring	Weather
Integer	Date	Time	Text	Text	Text	Text	Integer	Text
2298	07.06.17	11:10	Kuppam At Rayoram	River	Kuppam River	Kerala S.P.C.B.	Monthly	Cloudy
2299	05:06:17	9:15	Ramapuram At Ramapuram Bridge	River	Ramapuram River	Kerala S.P.C.B.	Monthly	Rainy
2300	05:06:17	10:20	Peruvamba At Chandappura	River	Peruvamba River	Kerala S.P.C.B.	Monthly	Rainy
2301	05:06:17	11:30	Kavvai At Kuttiyolpalam	River	Kavvai River	Kerala S.P.C.B.	Monthly	Rainy
2302	01:06:17	10:45	Neeleswaram At Nambiarkal Dam	River	Neeleswaram River	Kerala S.P.C.B.	Monthly	Clear
2303	14:06:17	10:40	Pullur At Pullur Bridge	River	Pullur River	Kerala S.P.C.B.	Monthly	Clear
2304	08.06.17	11:30	Mogral At Mogral Bridge	River	Mogral River	Kerala S.P.C.B.	Monthly	Clear
2305	14:06:17	12:00	Shriya At Angadimogaru	River	Shriya River	Kerala S.P.C.B.	Monthly	Clear
2306	08:07:17	12:45	Uppala At Uppala Bridge	River	Uppala River	Kerala S.P.C.B.	Monthly	Cloudy
2307	08:06:17	02:30	Manjeswaram At Bajarakkara Bridge	River	Manjeswaram River	Kerala S.P.C.B.	Monthly	Clear
2312	14:06:17	9:15	Vembanad At Pathiramanal	Lake	Vembanad Lake	Kerala S.P.C.B.	Monthly	Rainy
2318	08:06:17	9:30	RSVR Pazhassi	Lake	Pazhassi RSVR	Kerala S.P.C.B.	Monthly	Clear
2319	02:06:17	8:35	Ancharakandi At Ancharakandi	River	Ancharakandi River	Kerala S.P.C.B.	Monthly	Rainy
2325	06-06:17	9:30	Pond At Sreepadmanabha swamy Temple	Pond	Pond	Kerala S.P.C.B.	Monthly	Clear
2326	DRY NO SAMPLE		Korayar At Kanjikode	River	Korayar River	Kerala S.P.C.B.	Monthly	Clear
2328	02:06:17	1:30	RSVR At Malampuzha	RSVR	Malampuzha RSVR	Kerala S.P.C.B.	Monthly	Clear
2329	02:06:17	12:15	Bhoothathankettu	RSVR	Bhoothathankettu RSVR	Kerala S.P.C.B.	Monthly	Cloudy
2330	02:06:17	10:20	Edamalayar	RSVR	Edamalayar RSVR	Kerala S.P.C.B.	Monthly	Cloudy
2331	09:06:17	1:30	Bharathapuzha At Kuttipuram	River	Bharathapuzha River	Kerala S.P.C.B.	Monthly	Rainy
2332	09:06:17	11:30	Bharathapuzha At Pattambi	River	Bharathapuzha River	Kerala S.P.C.B.	Monthly	Rainy
2333	05:06:17	12:40	Periyar At Muppathadam	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
2334	05:06:17	1:15	Periyar At Pathalam(Vettukadavu)	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
2335	05:06:17	2:30	Periyar At Kalamassery	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
2336	12:06:17	2:20	Periyar At Purappillikkadavu	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
2337	09:06:17	10:55	Kadambrayar At Brahmapuram	River	Kadambrayar River	Kerala S.P.C.B.	Monthly	Cloudy
2338	09:06:17	10:30	Kadambrayar At Manackkadavu	River	Kadambrayar River	Kerala S.P.C.B.	Monthly	Cloudy
3458	08:06:17	3:30	karapuzha dam at wayanad	River	Karapuzha River	Kerala S.P.C.B.	Monthly	Rainy

STNCode	Sampling Date	Sampling Time	StnName	TypeWaterBody	NameOfWaterBody	MonAgency	FrequencyOfMonitoring	Weather
Integer	Date	Time	Text	Text	Text	Text	Integer	Text
3459	08:06:17	4:30	Maniyankode puzha at maniyankode bridge	River	Maniyankode River	Kerala S.P.C.B.	Monthly	Rainy
3460	DRY NO SAMPLE		Kalpathi puzha at Kalpathi,Palakkad	River	Kalpathi River	Kerala S.P.C.B.	Monthly	Clear
3461	07:06:17	10:30	Kanoli Canal at Eranjikkal,Kazhikode	canal	Kanoli Canal	Kerala S.P.C.B.	Monthly	Rainy
3462	07:06:17	9:50	Mananchira pond at Kozhikode	Pond	Mananchira Pond	Kerala S.P.C.B.	Monthly	clear
3464	06:06:17	11:35	Chaliyar at Nilambur,Malappuram	River	Chaliyar River	Kerala S.P.C.B.	Monthly	Rainy
3465	09:06:17	9:55	Achenkoil at Kallarakadavu,Pathanamthitta	River	Achancovil River	Kerala S.P.C.B.	Monthly	Clear
3466	05:06:17	9:15	Achenkoil at Pandalam,Pathanamthitta	River	Achancovil River	Kerala S.P.C.B.	Monthly	Clear
3467	05:06:17	11:35	Unthithodu at Eloor,Ernakulam	canal	Unthithodu	Kerala S.P.C.B.	Monthly	Rainy
3468	06:06:17	12:30	Periyar at KWA intake,Aluva,Ernakulam	River	Periyar River	Kerala S.P.C.B.	Monthly	Clear
3469	02:06:17	9:00	Palakkatuthazhamthodu at Perumbavoor	canal	Palakkatuthazhamthodu Canal	Kerala S.P.C.B.	Monthly	Clear
3470	07.06.16	9:30	Vellayani lake at Vandithadom,Trivandrum	Lake	Vellayani lake	Kerala S.P.C.B.	Monthly	Windy
3471	06:06:17	10:30	River Karamana at Aruvikara	River	River Karamana	Kerala S.P.C.B.	Monthly	Windy
3473	08:06:17	10:30	River Valapattanam at Parassinikkadavu	River	River Valapattanam	Kerala S.P.C.B.	Monthly	Cloudy

STNCode	ApproxDepth	Colour	Odor	Temperature	Dissolved O2	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenolphthaleine Alkalinity	Total Alkalinity	Chlorides	COD	Total Kjeldahl
Integer	Text	Text	Text	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric
17	>100cm	Clear	None	27	4.7	6.7	3372	2.4	1.94	6300	7900	1.5	0	23	1245.0	10.0	0.64
18	>100cm	Clear	None	26	7.8	6.9	30	1.8	0.35	2700	6300	0.7	0	10	3.0	5.6	0.52
20	>100cm	Clear	None	30	4.2	7.5	90	0.6	0.00	16	36	0.0	0	32	12.0	8.0	0.14
21	>100cm	Clear	None	29	5.7	7.7	15360	1.2	0.00	650	800	0.0	0	60	4800.0	16.0	0.41
42	>100cm	Clear	None	25	6.5	7.3	106	1.4	0.20	160	400	0.0	0	20	26.0	9.6	0.10
43	>100cm	Clear	None	29	5.8	6.8	62	0.3	0.32	1200	2400	1.1	0	16	13.0	6.4	1.18
1154	>100cm	Clear	None	28	5.0	6.7	62	0.9	0.61	1700	4800	0.2	0	12	10.0	6.4	0.48
1155	>100cm	Turbid	H2S	31	1.5	6.9	850	37.6	2.20	19500	38620	20.0	0	58	173.0	144.0	7.20
1156	>100cm	Clear	None	26	6.0	5.6	63	0.7	2.14	210	300	5.6	0	10	12.0	6.4	0.30
1207	>100cm	Clear	None	28.6	7.3	6.1	99	1.7	0.25	30	72	0.0	0	27	12.0	10.0	0.19
1208	>100cm	Clear	None	28	8.3	7.3	57	1.6	0.91	0	0	0.0	0	7	9.0	4.0	0.19
1338	>100cm	Clear	None	29.1	5.8	7.0	45	1.9	0.430	4300	5400	0.2	0	17	6.0	4.8	0.24
1339	>100cm	Clear	None	28	7.3	6.5	42	0.2	0.45	1600	3200	1.1	0	11	9.0	6.0	1.15
1340	>100cm	Turbid	None	28	6.9	5.4	125	2.1	0.20	80	160	0.0	0	40	20.0	9.6	0.00
1341	>100cm	Turbid	None	27	1.3	6.5	56	1.0	0.14	200	340	6.8	0	12	14.0	9.6	0.20
1342	>100cm	Clear	None	25	6.1	6.7	110	1.2	0.29	140	420	0.0	0	20	30.0	9.4	1.00
1383	>100cm	Clear	None	31	6.4	6.9	400	5.9	0.00	700	1770	0.5	0	62	164.0	20.0	0.00
1384	>100cm	Clear	None	28.5	6.1	6.5	239	1.5	0.21	100	200	0.0	0	50	70.0	9.6	0.00
1385	>100cm	Clear	None	25	6.4	6.9	136	1.2	0.78	100	300	0.0	0	22	22.0	6.2	1.20
1441	>100cm	Clear	Fishy	22	6.8	7.6	22790	2.4	1.80	180	620	0.0	0	36	6540.0	20.0	0.50
1442	>100cm	Clear	None	31	6.0	6.3	110	0.9	0.00	310	1690	0.6	0	35	27.0	4.0	0.00
1443	50-100 cm	Clear	None	24	6.3	6.8	144	1.2	0.52	100	360	0.0	0	22	30.0	6.2	0.60
1563	50-100 cm	Clear	None	31	6.4	6.5	110	1.0	0.00	110	680	1.0	0	24	32.0	4.0	0.00
1564	50-100 cm	Clear	None	26	6.9	7.1	110	1.6	0.52	110	360	0.0	0	28	25.0	9.4	0.70
1565	>100cm	Clear	None	27	3.2	6.3	56	0.6	0.16	180	250	7.9	0	10	12.0	9.6	0.25
1566	>100cm	Clear	none	31	6.2	6.5	200	0.6	0.03	20	32	0.0	0	42	30.0	4.0	0.00
1567	>100cm	Clear	None	28	7.5	6.7	23	0.5	0.00	0	0	0.0	0	4	5.0	8.0	0.12

STNCode	ApproxDepth	Colour	Odor	Temperature	Dissolved O2	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenolphthalein Alkalinity	Total Alkalinity	Chlorides	COD	Total Kjeldahl
Integer	Text	Text	Text	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric
1568	>100cm	Turbid	None	27	5.7	7.3	55	1.0	0.00	28	64	0.0	0	14	9.0	8.0	0.19
1569	>100cm,	Clear	None	27	5.1	7.1	8694	0.5	0.91	720	3000	3.0	0	26	2800.0	4.0	0.50
1570	>100cm	Clear	None	27	4.7	7.5	47000	2.1	0.00	76	224	0.1	0	101	19700.0	8.0	0.66
1571	>100cm	Clear	None	25	7.5	8.1	92	1.2	0.0050	184	272	1.7	0	33	7.0	4.0	0.00
1572	>100cm	Turbid	None	28	7.1	7.4	52	0.9	0.00	64	352	12.7	0	17	6.0	4.0	0.22
1573	>100cm	Clear	other	26	0.6	7.2	150	2.4	1.32	3200	4900	0.6	0	20	32.0	14.0	1.76
1574	>100cm	Clear	None	25	7.2	7.2	20100	2.0	1.20	220	540	0.0	0	30	7265.0	16.0	0.90
1575	>100cm	Turbid	None	27	5.4	7.2	18180	3.2	0.91	7900	12000	2.3	0	38	6451.0	11.0	0.72
1576	>100cm	Clear	None	27	7.1	7.0	36	0.2	0.02	0	100	1.0	0	10	9.0	3.2	1.10
1577	>100cm	Turbid	None	28	4.8	7.2	8015	1.6	0.62	2200	7000	0.2	0	30	2798.0	11.0	0.70
1578	>100cm	clear	None	28.5	4.1	7.2	31341	3.1	0.58	100	240	0.0	0	410	12000.0	16.0	0.24
1579	>100cm	Turbid	None	28.5	3.8	7.2	840	2.5	0.07	320	640	0.0	0	90	195.0	16.0	0.00
1580	>100cm	clear	None	28.1	6.5	6.3	32	1.8	0.06	24	44	0.0	0	8	6.0	6.0	0.00
2284	50-100 cm	Clear	None	31	7.1	6.8	92	0.6	0.00	80	200	0.8	0	26	20.0	4.0	0.00
2285	>100cm	Clear	None	31	6.9	6.6	99	1.5	0.00	300	1380	0.9	0	23	28.0	4.0	0.00
2286	>100cm	Clear	None	31	6.8	6.2	91	0.8	0.00	120	1000	1.0	0	28	18.0	4.0	0.00
2287	>100cm	Clear	None	25	6.3	7.1	14000	1.6	0.96	200	460	0.0	0	28	5200.0	12.0	0.00
2288	50-100cm	Clear	None	28	6.3	7.4	160	1.6	0.36	180	420	0.0	0	18	32.0	4.0	0.00
2289	>100cm	Clear	None	30	7.0	7.5	130	2.5	0.04	180	400	0.7	0	17	30.0	4.0	0.00
2290	>100cm	Clear	None	30	6.6	7.0	140	2.8	0.05	160	310	0.3	0	18	32.0	4.0	0.90
2291	>100cm	Clear	None	30	5.2	7.4	158	2.6	0.09	140	270	0.5	0	14	34.0	8.0	0.40
2292	>100cm	Clear	None	30.5	5.3	7.4	12000	2.7	0.02	40	60	0.0	0	350	4000.0	7.4	0.00
2293	>100cm	Clear	None	31	6.9	6.5	130	1.2	0.05	20	28	0.0	0	40	19.0	4.0	0.00
2294	>100cm	clear	None	28	3.5	7.4	41300	0.7	0.07	400	800	0.0	0	100	12400.0	16.0	0.33
2295	>100cm	clear	None	30	2.4	7.2	6100	0.5	0.00	200	300	0.0	0	35	2080.0	16.0	0.28
2296	>100 cm	clear	None	27	3.6	6.5	91	2.4	0.60	590	1240	0.2	0	21	15.0	6.4	0.24
2297	>100cm	clear	None	27	7.0	6.6	62	2.6	0.72	580	1300	2.9	0	13	8.0	6.4	0.20

STNCode	ApproxDepth	Colour	Odor	Temperature	Dissolved O2	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenolphthalein Alkalinity	Total Alkalinity	Chlorides	COD	Total Kjeldahl
Integer	Text	Text	Text	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric
2298	>100cm	Clear	None	26	8.1	7.4	54	0.3	0.35	320	500	0.5	0	15	7.0	3.2	0.20
2299	>100 cm	Clear	None	26	8.1	7.2	10730	1.2	0.96	720	1700	3.0	0	28	3700.0	6.4	0.33
2300	>100cm	Clear	None	26	6.4	6.5	56	1.1	0.75	670	1640	2.4	0	8	10.0	6.4	0.20
2301	>100cm	Clear	None	27	5.9	5.1	3549	0.5	0.21	210	340	1.4	0	0	800.0	4.0	0.10
2302	>100cm	Clear	None	28	7.2	6.9	8319	1.8	0.00	64	182	1.8	0	36	3600.0	6.4	0.64
2303	>100cm	Clear	None	27	6.9	6.8	63	1.3	0.04	136	416	2.0	0	17	10.0	6.4	0.10
2304	>100cm	Turbid	None	26	6.7	6.1	43500	3.1	0.203	216	668	0.1	0	106	18900.0	12.0	0.62
2305	>100cm	Turbid	None	28	6.7	6.7	84	0.7	0.00	112	384	23.8	0	23	8.0	4.0	0.29
2306	>100cm	Turbid	None	26	4.7	6.7	49900	3.2	0.154	128	436	0.6	0	92	21000.0	12.0	0.50
2307	>100cm	Clear	None	24	5.7	7.7	129	2.6	0.12	80	168	16.9	0	30	22.0	8.0	0.24
2312	>100cm	Turbid	None	28.5	6.8	6.9	1278	1.8	0.09	220	360	0.0	0	70	195.0	20.0	0.00
2318	>100cm	Clear	None	30	8.7	6.9	63	0.2	0.42	288	830	1.8	0	18	8.0	4.0	0.00
2319	>100cm	clear	None	28	7.5	6.7	256	2.7	1.56	510	1140	0.9	0	15	70.0	8.0	0.42
2325	>100cm	Clear	None	31	6.1	7.9	79	1.4	0.00	180	370	0.9	0	40	35.0	12.0	0.00
2326	>100cm	Clear	None														
2328	>100cm	Clear	None	29	2.7	7.4	122	0.5	0.13	0	20	3.0	0	24	21.0	4.0	0.21
2329	>100cm	Clear	None	29.3	6.6	7.1	30	1.1	0.22	2700	4000	0.3	0	8	7.0	4.0	0.20
2330	50-100 cm	Clear	None	29.8	6.9	6.8	20	1.0	0.06	840	1700	0.0	0	8	2.0	4.0	0.45
2331	>100 cm	Clear	None	30	8.9	7.5	10	2.1	0.18	0	60	7.0	0	24	14.0	4.0	0.18
2332	>100cm	Clear	None	29	7.3	7.6	228	2.0	0.73	0	100	4.0	0	55	30.0	8.0	0.19
2333	>100cm	Clear	None	28	5.0	6.5	65	1.4	0.31	4000	4800	0.5	0	15	7.0	4.8	0.40
2334	>100cm	Brown	None	27	4.8	6.4	100	1.6	0.74	4100	7900	0.6	0	30	19.0	16.0	1.62
2335	>100cm	Brown	None	28	2.9	6.9	142	1.2	0.35	4900	7000	9.9	0	28	17.0	17.6	1.25
2336	>100cm	Clear	None	28	6.4	6.8	126	1.5	0.36	4000	7900	1.3	0	14	38.0	7.0	0.54
2337	>100cm	Turbid	None	27	0.7	6.50	119.0	2.4	0.73	1400	2100	4.3	0	22	15.0	8.0	2.74
2338	>100cm	Turbid	None	26	1.6	7.3	92	2.2	0.56	430	1400	23.2	0	18	12.0	10.0	0.56
3458	>100cm	clear	None	28	7.2	7.1	128	1.2	0.26	38	60	0.0	0	42	12.0	10.0	0.00

STNCode	ApproxDepth	Colour	Odor	Temperature	Dissolved O2	pH	Conductivity	BOD	Nitrate N	Fecal Coliform	Total Coliform	Turbidity	Phenolphthaleine Alkalinity	Total Alkalinity	Chlorides	COD	Total Kjeldahl
Integer	Text	Text	Text	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric
3459	>100cm	clear	None	28.1	6.5	7.6	132	0.8	0.32	88	160	0.0	0	35	16.0	12.0	0.00
3460	>100cm	Clear	None														
3461	50-100cm	clear	None	28	6.1	7.7	14500	1.0	0.00	1200	1600	0.0	0	84	4200.0	16.0	0.17
3462	>100cm	clear	None	29	5.8	7.2	95	0.5	0.00	136	240	0.0	0	27	12.0	8.0	0.23
3464	>100cm	clear	None	29	5.9	7.7	69	0.5	0.00	36	48	0.0	0	20	9.0	8.0	0.36
3465	>100cm	Clear	None	28	7.4	7.1	164	1.4	0.62	120	280	0.0	0	20	39.0	16.0	0.00
3466	>100cm	Clear	None	26	6.4	6.3	128	1.2	0.30	140	260	0.0	0	20	24.0	9.6	0.00
3467	50-100 cm	Brown	None	26	1.4	6.9	600	2.2	3.09	4000	7900	1.7	0	14	167.0	14.0	2.66
3468	>100cm	Clear	None	29	6.0	7.3	37	1.3	0.21	2600	3200	0.0	0	15	5.0	4.8	0.32
3469	50-100 cm	Clear	None	29.5	1.6	6.5	72	2.1	0.96	9400	11000	3.6	0	21	10.0	9.6	0.50
3470	>100cm	Clear	None	31	6.3	6.5	98	1.6	0.00	250	670	0.8	0	26	30.0	4.0	0.00
3471	>100cm	Clear	None	31	7.5	7.1	54	0.3	0.00	60	120	0.7	0	18	10.0	4.0	0.00
3473	>100cm	Clear	None	28	5.7	7.6	16170	0.2	0.44	368	980	0.8	0	50	5900.0	3.2	0.41

STNCode	Amonia N	Hardness CaCo3	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride	TPtext1
Integer	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Text
17	0.00	480	60	420	7.0	578.0	2080	1950	15	0.123	0.30	28.00	0.21	
18	0.00	11	2	9	0.3	1.7	17	14	10	0.000	0.00	1.02	0.016	
20	0.00	28	13	15	0.0	5.9	50	43	11	0.000	0.60	1.91	0.00	
21	0.00	1200	200	1000	411.3	2770.0	8650	7353	11	0.000	3.00	100.00	0.69	
42	0.00	30	20	10	0.0	12.4	70	65	26	0.000	0.00	2.80	0.00	
43	0.00	21	9	12	3.7	3.5	45.0	42	13	0.000	0.00	1.32	0.00	
1154	0.06	22	0	22	0.9	4.9	35	30	10	0.010	0.00	1.38	0.005	
1155	4.90	160	96	64	35.3	72.0	475	460	15	2.200	1.10	30.00	0.60	
1156	0.00	18	10	8	0.0	4.2	39	34	30	0.000	0.00	0.82	0.26	
1207	0.00	30	12	18	0.0	6.9	55	38	10	0.000	0.00	0.50	0.00	
1208	0.00	9	6	3	3.0	7.0	35	32	10	0.0	0.00	0.20	0.11	
1338	0.00	18	3	15	1.1	3.3	32	28	10	0.000	0.00	2.19	0.03	
1339	0.00	15	8	7	3.5	1.6	29	25	10	0.000	0.00	0.88	0.00	
1340	0.00	40	20	20	10.5	18.0	88	78	12	0.000	0.00	1.70	0.00	
1341	0.00	16	10	6	1.2	5.4	39	35	29	0.000	0.00	0.92	0.25	
1342	0.00	36	20	16	0.0	14.2	76	60	12	0.000	0.00	2.40	0.00	
1383	0.00	301	201	100	12.6	21.8	284	260	30	0.060	0.40	12.70	0.00	
1384	0.00	70	30	40	6.9	38.4	170	150	14	0.000	0.00	1.90	0.00	
1385	0.00	28	16	12	0.0	19.0	76	60	10	0.000	0.00	1.80	0.00	
1441		700	400	300	90.0	3800.0	13102	12000	32	0.000	0.00	170.00	0.00	
1442	0.00	48	30	18	0.0	12.7	78	60	15	0.000	0.50	5.60	0.00	
1443	0.00	46	20	26	0.0	11.0	98	80	10	0.000	0.00	4.20	0.00	
1563	0.00	45	25	20	0.0	13.9	78	46	15	0.000	0.00	2.70	0.00	
1564	0.00	42	24	18	0.0	12.4	74	65	12	0.000	0.00	3.20	0.00	
1565	0.00	20	12	8	6.7	3.6	38	32	10	0.000	0.00	0.50	0.30	
1566	0.00	30	20	10	12.3	25.0	130	100	11	0.000	0.00	2.00	0.00	
1567	0.00	5	3	2	0.0	2.2	13	11	10	0.000	0.00	0.54	0.00	

STNCode	Amonia N	Hardness CaCo3	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride	TPtext1
Integer	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Text
1568	0.00	11	7	4	0.0	4.9	31	26	11	0.000	0.00	1.31	0.09	
1569	0.04	1000	200	800	191.8	1350.0	5560	5300	30	0.000	0.55	57.00	0.41	
1570	0.00	4700	500	4200	386.5	10320.0	33500	31000	30	0.000	0.24	762.30	1.01	
1571	0.00	38	23	15	10.0	3.2	60	56	5	0.000	0.04	0.33	0.09	
1572	0.00	12	8	4	3.7	2.7	33	27	10	0.000	0.09	0.86	0.01	
1573	0.00	40	21	19	18.0	15.8	100	76	11	0.362	0.12	3.20	0.34	
1574	0.00	1100	700	400	0.0	4100.0	12300	10000	30	0.000	0.00	160.00	0.00	
1575	0.00	1800	0	1800	210.0	3249.0	10500	9000	15	0.233	2.30	111.00	0.01	
1576	0.00	13	7	6	1.8	2.1	25	24	10	0.000	0.00	1.05	0.00	
1577	0.00	940	0	940	100.0	1366.0	4600	4350	16	0.023	0.26	52.00	0.006	
1578	0.00	2800	600	2200	684.7	6820.8	21780	20400	30	0.000	0.00	180.00	0.00	
1579	0.00	140	50	90	101.0	142.8	588	500	30	0.000	0.00	7.20	0.00	
1580	0.00	7	5	2	0.0	3.6	18	11	10	0.000	0.00	0.50	0.00	
2284	0.00	45	27	18	0.0	7.1	65	48	18	0.000	0.00	3.20	0.00	
2285	0.00	56	32	24	0.0	5.9	70	50	20	0.000	0.00	2.10	0.00	
2286	0.00	39	24	15	0.0	7.9	65	60	20	0.000	0.00	5.30	0.00	
2287	0.00	900	500	400	10.0	2800.0	8860	7000	30	0.000	0.00	140.00	0.00	
2288	0.00	30	18	12	0.0	19.0	92	80	16	0.000	0.00	5.80	0.00	
2289	0.22	45	18	27	2.3	4.3	75	68	15	0.000	0.00	2.20	0.03	
2290	0.08	40	25	15	13.2	6.67	79	69	12	0.510	0.00	5.37	0.027	
2291	0.09	64	34	30	16.7	8.0	95	37	13	0.000	0.00	4.19	0.027	
2292	0.00	700	400	300	46.0	23.7	8400	6200	30	0.000	0.00	216.00	0.00	
2293	0.00	35	20	15.0	2.1	14.3	88	52	10	0.000	0.00	2.20	0.00	
2294	0.00	4100	750	3350	1800.0	7179.0	24830	21105	10	0.055	3.00	274.00	1.31	
2295	0.00	660	100	560	262.4	1158.0	3750	3111	10	0.022	3.00	40.80	0.29	
2296	0.01	25	18	7	0.0	7.4	55	62	10	0.000	0.00	2.11	0.00	
2297	0.03	18	12	6	1.2	4.2	37	31	10	0.000	0.00	1.98	0.00	

STNCode	Amonia N	Hardness CaCo3	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride	TPtext1
Integer	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Text
2298	0.02	19	13	6	0.0	3.6	32	28	10	0.000	0.00	0.69	0.01	
2299	0.01	1300	200	1100	219.8	1846.0	7240	6600	28	0.000	0.64	68.84	0.33	
2300	0.01	12	11	1	1.3	4.3	40	30	14	0.000	0.03	1.10	0.25	
2301	0.12	400	100	300	146.3	390.0	2160	1900	30	0.000	0.44	22.78	0.18	
2302	0.00	1400	200	1200	109.2	1600.0	5900	4800	30	0.000	3.47	66.70	0.40	
2303	0.00	17	13	4	0.0	4.8	38	40	18	0.000	0.00	0.57	0.06	
2304	0.00	8000	2000	6000	388.3	8540.0	31000	27550	30	0.000	1.05	469.40	1.00	
2305	0.00	25	15	10	10.0	4.3	55	51	12	0.000	0.34	1.19	0.01	
2306	0.00	6800	1000	5800	388.6	10360.0	35420	31800	25	0.000	2.89	622.90	0.81	
2307	0.00	35	26	9	9.0	10.8	80	62	34	0.000	0.39	2.27	0.17	
2312	0.00	170	60	110	209.2	215.0	890	600	14	0.000	0.00	10.00	0.00	
2318	0.05	21	13	8	10.0	4.4	45	35	10	0.000	0.03	4.06	0.12	
2319	0.02	38	17	21	6.9	39.3	150	120	20	0.000	0.03	4.07	0.13	
2325	0.00	54	36	18	0.0	15.7	110	100	25	0.010	0.30	4.70	0.00	
2326														No flow-No sample
2328	0.00	25	18	7	6.0	10.0	69	61	10	0.090	0.00	3.00	0.51	
2329	0.00	8	3	5	0.0	2.0	31	27	10	0.000	0.00	1.38	0.01	
2330	0.00	7	3	4	0.0	0.8	12	10	10	0.011	0.00	0.48	0.33	
2331	0.00	30	18	12	5.2	7.0	57	49	10	0.050	0.00	3.00	0.57	
2332	0.00	80	60	20	13.0	10.0	126	113	10	0.030	0.00	2.0	0.72	
2333	0.00	26	7	19	1.0	3.9	37	30	10	0.012	0.00	1.90	0.020	
2334	0.00	20	16	4	2.7	8.5	70	62	10	0.530	0.140	0.09	0.02	
2335	0.00	40	30	10	20.0	9.6	85	70	10	0.000	0.00	2.76	1.65	
2336	0.00	26	0	26	9.3	19.2	90	82	11	0.047	0.00	2.60	0.014	
2337	0.35	24	19	5	9.6	9.5	66	58	10	0.009	0.00	2.84	0.00	
2338	0.149	26	17	9	10.3	6.57	59	45	10	0.042	0.00	2.46	0.01	
3458	0.00	42	20	22	0.0	6.6	71	0	14	0.000	0.00	0.50	0.00	

STNCode	Amonia N	Hardness CaCo3	Calcium CaCo3	Magnesium CaCo3	Sulphate	Sodium	Total Dissolved Solids	Total Fixed Solids	Total Suspended Solids	Phosphate	Boron	Potassium	Flouride	TPtext1
Integer	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Numeric	Text
3459	0.00	40	30	10	0.0	8.9	73	60	16	0.000	0.00	0.70	0.00	
3460														River dry-No sample
3461	0.00	1500	200	1300	762.4	2432.0	8250	7012	12	0.100	3.20	88.00	0.89	
3462	0.00	26	20	6	0.0	7.7	53	45	10	0.000	0.00	1.22	0.06	
3464	0.00	20	16	4	0.0	5.0	40	34	10	0.000	0.00	1.73	0.07	
3465	0.00	48	30	18	0.0	16.4	92	80	22	0.000	0.00	2.20	0.00	
3466	0.00	42	22	20	0.0	6.8	72	60	20	0.000	0.00	2.20	0.00	
3467	1.29	134	70	64	28.0	70.0	350	338	14	0.133	0.22	6.40	0.02	
3468	0.00	12	10	2	0.5	3.0	26	20	10	0.000	0.00	1.97	0.01	
3469	0.00	18	17	1	5.7	5.8	50	44	10	0.022	0.00	1.29	0.016	
3470	0.00	41	26	15	0.0	8.1	70	65	24	0.000	0.00	3.10	0.00	
3471	0.00	31	19	12	0.0	3.4	38	35	10	0.000	0.00	2.40	0.00	
3473	0.00	2000	400	1600	282.5	2890.0	10720	9200	25	0.000	0.90	119.84	0.526	